

# Supermax Oil Germany 4T 10W40

## 4-Stroke Motorcycle Oil



### PRODUCT DESCRIPTION

SUPERMAX OIL GERMANY 4T 10W-40 is a synthetic engine oil produced with advanced technology that provides superior lubrication and protection even the tough driving conditions for 4-stroke motorcycle engines. It can be safely used in all air or water cooled motorcycles with single, double or multi cylinder engines that work with leaded or unleaded fuels.

### ADVANTAGES

- Provides unique engine protection and fuel economy in all climate and usage conditions.
- Provides excellent motor protection against risks that can occur inside of engine at high speeds with its fully synthetic structure.
- Provides maximum performance with its structure that keeps the oil pressure and the oil consumption under control also prevents the deposit formation.
- Extends engine life with tolerating challenging and abrasive effects on engine due to stop and go especially in inner city traffic conditions.

### APPROVALS AND SPECIFICATIONS FOR

- API SL
- JASO MB

### CHARACTERISTIC PROPERTIES

Viscosity Class: SAE 10W-40

Analysis	Unit	Analysis Method	Ideal Values
Density, 15 °C	g/cm <sup>3</sup>	ASTM D 4052	0.871
Viscosity, 40 °C	cSt	ASTM D 445	98.02
Viscosity, 100 °C	cSt	ASTM D 445	13.62
Viscosity Index	-	ASTM D 2270	140
TBN	mg KOH/g	ASTM D 2896	9.6

# Supermax Oil Germany 4T 10w40



## 4-Stroke Motorcycle Oil

### ADDITIONAL INFORMATION

#### Package

- 1 L
- 180 Kg

#### Storage

- Packages should be stored in cool, well-ventilated and covered areas; and their taps should be tightly closed and sealed when not in use.
- Packages should not be exposed to direct sunlight and avoid rapid climatic changes.
- Ambient temperature should not exceed 60 °C.

#### Shelf Life

- Under the appropriate storing conditions suitable to the declared circumstances, maximum shelf life of the products are two years.

#### Health and Safety

Based on the available information, Pro Rider 1 4T 10W-40 is not expected to produce adverse effects on health when used for the intended application and aligned with the recommendations provided in the; "Material Safety Data Sheet" (MSDS). MSDS's are available upon request through your sales contact office or representative.

When disposing the used product, physical and chemical properties has to be taken into the consideration, and please follow the regional or national regulations.